

Service Coordination Survey 2015

Region report

Hume

Responses to the Service Coordination Survey

31 from Hume

11 from Central Hume Primary Care Partnership

12 from Goulburn Valley Primary Care Partnership

8 from Lower Hume Primary Care Partnership

339 responses from across Victoria

Prepared By:
Prevention, Population, Primary and Community Health Branch
Mental Health, Wellbeing, Social Capital and Ageing Division
Department of Health and Human Services
For more information email: pcp@dhhs.vic.gov.au
Website: <https://www2.health.vic.gov.au/primary-and-community-health/primary-care/primary-care-partnerships>

To receive this publication in an accessible format phone 9096 8618, using the National Relay Service 13 36 77 if required, or email pcp@dhhs.vic.gov.au

Authorised and published by the Victorian Government, 1 Treasury Place, Melbourne.
© State of Victoria, Department of Health and Human Services, 2015

This publication is copyright, no part may be reproduced by any process except in accordance with the provisions of the *Copyright Act 1968*.

Authorised and published by Victorian Government, 50 Lonsdale Street, Melbourne.

Contents

- 1. Introduction.....4
- 2. Reading the results5
- 3. System measures8
- 4. Practice measures11

1. Introduction

Overview

There are many different types of services available across Victoria's health and human services system. No common system automatically links services to allow people with multiple needs to access coordinated care.

The service coordination framework helps service providers to work together to align practices, processes and systems so:

- people access the services they need, no matter what service they go to first
- providers exchange the right information so consumers receive good care from the right providers at the right time
- people have their health and social needs identified early, preventing deterioration in health.

Service coordination places consumers at the centre of service delivery. It enables organisations to remain independent of each other, while cooperating to give consumers a seamless and integrated response. In particular, the practice of service coordination particularly helps enable more effective ways of supporting people with complex and multiple needs.

Primary Care Partnerships (PCPs) work with organisations in their local area and focus on better coordination among services, improved chronic disease management, prevention and integrated health promotion and strong partnerships.

The service coordination survey measures some of the accountability indicators in the PCP Program Logic 2013-17 for early intervention and integrated care. PCPs are expected to strongly encourage the organisations they work with to complete the survey. The department also expects its funded organisations to participate in Primary Care Partnership activities as appropriate and to provide quality service coordination practice, as required in the department's Policy and Funding Guidelines for 2014-15.

About this report and survey

The service coordination survey:

- allows organisations to track their own progress in service coordination practice and to view it in comparison to that of other organisations
- provides information to PCPs to enable them to focus their efforts to support organisations in their area
- provides information to the department about the results of its strategies to support system change in service coordination across Victoria.

The survey is undertaken within the context of an ongoing quality improvement process and can provide evidence for service and program reporting requirements (e.g. Quality Care Reports) and accreditation processes.

This report benchmarks service coordination practice for PCPs in your region, against the average for your region and the state. The system and practice areas measured in this report include:

- eHealth
- shared care/case planning
- communication with general practice
- initial needs identification
- referral

Changes between 2013 and 2015 survey

Some additional information was gathered in the 2015 survey, including on:

- which tools other than SCTT are used for referral
- which particular sections of the SCTT suite are used and valued
- quality improvement areas organisations are focusing on
- organisations' feedback on PCPs' support in service coordination practice.

In the 2013 survey, respondents were asked to answer yes/no to whether they had achieved some practice measures for at least 70% of clients. In 2015, the survey question was changed to allow respondents to give the actual percentage of clients. This report shows the average percentage answer for practice measure, by PCP, region and for the state. The 70% point is still displayed, so results can be compared to those for previous years.

In an effort to streamline responses and demands on organisations, PCPs were encouraged to nominate a 'lead PCP' to liaise with an organisation that crosses PCP catchments. In some cases, this may affect the overall results for the PCP or region when compared to the previous survey results, if an organisation no longer submits a survey to the same PCP catchment.

Feedback to organisations has also changed. In 2013, organisations that submitted multiple responses (different submissions for individual programs/services/sites within an organisation), received an aggregate report with organisation results represented by the majority response, whereas in 2015, organisations will receive a report for each completed survey response submitted.

2. Reading the results

Organisations had the flexibility to choose whether to provide a single survey response for each program/service/site, or whether to provide a consolidated response for the organisation. The basis for this decision was whether or not organisations judged their service coordination practice to be consistent across sites or programs/services.

Analysis of results

The results are provided based on the number of surveys completed, rather than the number of organisations. This should provide a more accurate picture of service coordination practice, but may make comparison with the aggregated results for the 2013 survey less straightforward.

Comparisons

The reports compare results for each of the Region's PCPs, the Region and Victorian (statewide) results. The comparison figure is based on the percentage of completed surveys submitted (not unique organisations) in each of the groups.

Rounding

Throughout the report, percentages have been rounded to whole numbers. When looking at charts and tables, figures may not always add up to 100%. However, if more decimal places were used, additions would be correct.

Handling of no answers and invalid responses


Respondents who did not answer a question or who chose an invalid value as their response were recorded as 'other', presented as a grey box.

Definitions

Because organisations could submit more than one survey response, when discussing results, the term respondent has been used throughout this report. This reflects that results may apply to an organisation or may apply to practice in part of an organisation.

How to read the charts

Below are two examples of charts you will find throughout the report, with an explanation on how to read these charts.




Main area(s) you currently focus on

The bars in the chart show the proportion of completed surveys that reported this as an area of focus for quality improvement, on average, for region.

The symbols in the chart show the proportion of completed surveys that reported this as an area of focus for quality improvement, on average, for State.

Respondents could choose more than one answer option for this question



Region results (green bars) have been compared with Victorian statewide results (triangles in the chart).

% of PCPs value	G21 Primary Care Partnership	South Grampians-Glenelg Primary Care Partnership	South West Primary Care Partnership
Communication with general practice	35	35	35
Implementing single page screener	40	40	40
Initial needs identification	40	40	40
Referral	40	40	40
Shared care planning	45	45	45
Other	50	50	50

The table shows the results for each PCP within the region.

Using the results

The Service Coordination Survey 2015 provides an important source of information which will be used by the Department of Health and Human Services and PCPs to continually measure the level of integration and coordination across a broad range of health and human services.

More importantly, the results of the survey can be used throughout the sector by managers, networks, working groups, organisations and PCPs to inform planning and monitor improvement strategies. The Department of Health and Human Services encourages all organisations to engage with the results of the survey and think about how change can be affected at a systems level to improve results over time.

3. System measures

E-Health

This section identifies the E-health facilities the organisation is using.

Secure messaging/communication system used

Type:	% Region organisations that use	% Victorian organisations that use
Connecting Care	83	44
S2S	2	34
Argus	2	7
RIMS (via connecting care)		4
BETTI	31	4
ReferralNet	2	3
Other	14	27

**Other responses included: No answer, none, standard eMail, TRAK, SWARH, My Aged Care Portal, Healthlink, eReferral and Bossnett.*

Client information management software application used

Also referred to as patient information management system

Type:	% Region organisations that use	% Victorian organisations that use
IPM	2	19
UNITI	36	14
TCM	5	13
TrakCare	7	11
IRIS	2	10
Carelink +	2	9
Xpedite	19	8
Medical Director	5	7
HMS	26	7
PJB	2	6
ACE	5	6
SWITCH	2	5
Best Practice	5	4
Penelope	2	4
CRISP		4

Version of SCTT in your client information management system

Type:	% Region organisations that use	% Victorian organisations that use
SCCT2006	17	3
SCTT2009	24	39
SCTT2012	55	40
Don't use SCTT	5	19


Shared care planning

This section identifies system development to support shared care/case planning across organisations.

A local agreement has been developed to support shared care/case planning between services

The local agreement must include:


- 3 or more key partner organisations across the catchment
- criteria to identify complex consumers who require a shared care plan
- a shared protocol which will inform organisation guidelines and expectations for shared care/case planning. The protocol will include roles and responsibilities (process for identification of a care/case coordinator) and processes for communication between participating services.



A local agreement to support shared care/case planning between services has been implemented by the organisation.

The local agreement /protocol (as defined above) must meet the following criteria:

- The local agreement/protocol is integrated into the organisation's practice and procedures guidelines, work plans and job descriptions
- There is compliance with the practice and procedure (measured through a continuous improvement process)




GP Communication

This section of the report identifies systems approaches to improve communication with GPs.

Documented and agreed communication processes with general practice have been developed


The agreed communication processes:

- are developed with input from general practice
- must include guidelines and expectations for communication with general practice



Documented agreed communication processes with general practice have been implemented by the organisation



These are integrated into the organisation's practice guidelines and procedures, job descriptions and work plans.



4. Practice measures


Initial needs identification

This section identifies the broad screening practice within the organisation using a consumer centred approach.



Service Coordination Tool Templates (SCTT)

This section identifies how much SCTT is used for referral.




SCTT used by organisation for referrals

This chart and table show the percentage of respondents that use each template.

Respondents could choose more than one answer option for this question

Based on completed responses




% of respondents in each PCP that use the template	Central Hume Primary Care Partnership	Goulburn Valley Primary Care Partnership	Lower Hume Primary Care Partnership	Upper Hume Primary Care Partnership
Accomm & safety arrangements	64	67	50	45
Alcohol, smoking & substance inv scr (ASSIST)	36	42	38	
Ambulance Vic referral	9			9
Care relationships, family & soc network	55	58	38	73
Consent to Share Info	91	100	100	91
Consumer Info	82	100	100	82
Functional assessment summary	64	67	75	82
General practice ref	18	25	25	27
Health & chronic conditions	64	67	38	73
Info exchange summary	27	33	50	27
Need for assistance w activities of daily living	64	67	75	55
Palliative care suppl info	18	8	25	27
Referral Cover Sheet & Acknowledgement	91	83	88	82
Screeener health & soc needs - service prov.	36	75	50	64
Screeener health & social needs - cons.	18	25	25	27
Shared support plan	18	42	25	45
Social & emotional wellbeing	45	50	38	27
Summary & Referral	91	100	100	82
Don't use any of these templates	9			9

SCTT templates valued by organisation

This chart shows how much respondents value the templates that they use.

The bars in the chart show how much the respondent valued the different templates, on average, for Region.

The symbols in the chart show how much respondents value the templates, on average, for State.



% of respondents in each PCP that value*	Central Hume Primary Care Partnership	Goulburn Valley Primary Care Partnership	Lower Hume Primary Care Partnership	Upper Hume Primary Care Partnership
Accomm & safety arrangements	100	100	100	100
Alcohol, smoking & substance inv scr (ASSIST)	75	60	100	
Ambulance Vic referral	100			100
Care relationships, family & soc network	100	100	100	100
Consent to Share Info	100	100	100	100
Consumer Info	100	100	100	100
Functional assessment summary	100	100	100	100
General practice ref	100	100	100	100
Health & chronic conditions	100	100	100	100
Info exchange summary	100	100	100	100
Need for assistance w activities of daily living	100	100	100	100
Palliative care suppl info	100	100	100	100
Referral Cover Sheet & Acknowledgement	100	100	100	100
Screener health & soc needs - service prov.	75	100	100	100
Screener health & social needs - cons.	100	100	100	100
Shared support plan	100	100	100	100
Social & emotional wellbeing	80	100	100	100
Summary & Referral	100	100	100	100


*Value: A lot of value and some value combined

Shared care planning

This section identifies the level of shared care planning practice within the organisation.

% of consumers with multiple or complex needs who are receiving services from more than one service provider have a shared care/case plan


Chart shows %, based on completed responses



% of shared care/case plans have been communicated with the GP, if the consumer has a GP

This includes any care plan that is shared between services e.g. General Practice Team Care Arrangements, SCTT Shared support plan.

Chart shows %, based on completed responses



Quality improvement


This section shows respondents' areas of activity in quality improvement.

Main area(s) you currently focus on

The bars in the chart show the proportion of completed surveys that reported this as an area of focus for quality improvement, on average, for region.

The symbols in the chart show the proportion of completed surveys that reported this as an area of focus for quality improvement, on average, for State.

Respondents could choose more than one answer option for this question



% of respondents in each PCP that value	Central Hume Primary Care Partnership	Goulburn Valley Primary Care Partnership	Lower Hume Primary Care Partnership	Upper Hume Primary Care Partnership
Shared care planning	36	67	75	73
Initial needs identification	55	67	25	64
Communication with general practice	73	50	63	55
Referral	64	58	13	64
Implementing single page screener	9	8	13	27
Other	45	17	38	45

PCP has helped / supported organisation to improve service coordination practice

Chart shows %, based on completed responses

